

World Intellectual Property
Organization
International Bureau

WIPO
OMPI



International Application Date
14 October 2010 (14.10.2010) PCT

International Application Number
PCT/US2010/052696

International Application Number:
PCT/US2010/052696

International Filing Date:
14 October 2010 (14.10.2010)

Filing Language: English

Publication Language: English

Priority Date: 20 October 2009 (20.10.2009) US

Applicant: MAGNETECS, INC. [US/US]; 10524 S. La Cienega Blvd., Inglewood, CA 90304 (US).

Inventors: SHACHAR, Yehoshua; 2417 22nd St., Santa Monica CA 90405 (US). MARX, Bruce; 1233 Avila Drive, Ojai, CA 93023 (US).

JOHNSON, David; 8450 DeLongpre Avenue #6, West Hollywood, CA 90069 (US). FARKAS, Leslie; 254 N. Arnaz Street, Ojai, CA 93023 (US).


KIM, STEVEN; 10524 S. La Cienega Blvd. Inglewood, CA 90304 (US).

Agent: DELANEY, Karoline, A.; KNOBBE, MARTENS, OLSON & BEAR, LLP, 2040 Main Street, 14th Floor, Irvine, CA 92614 (US).

Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Title: SYSTEM AND METHOD FOR A CATHETER IMPEDANCE SEEKING DEVICE



Abstract: The invention is a method of rotating a catheter while it is manually guided in order to increase the volume of space it passes through during a geometric mapping procedure as to provide a higher and more uniform location data point cloud density in a volumetric mapping system.

PCT/US2010/052696